


Mise en place d'un routeur

La société Chutextrem souhaite mettre en place un "wifi invité" dans une salle de réunion. Nous avons installé un routeur pour que ses clients puissent avoir accès à une connexion internet sans avoir accès au réseau local.

Connexion au routeur et création du mot de passe



Modification du nom du routeur :

Wireless: ☒ Enable ☐ Disable

Wireless Network Name: (Also called SSID)

Mode: ▼

Channel: ▼

Channel Width: ▼

☒ Enable SSID Broadcast

Save

Changement d'adresse IP du routeur

TP-Link Wireless N Router WR841N
Model No. TL-WR841N

LAN Settings

MAC Address: 50 91 E3 C7 60 BA
IP Address: 192.168.88.1
Subnet Mask: 255.255.255.0

Save

LAN Help
You can configure the IP parameters of LAN on this page.

- **MAC Address** - The physical address of the LAN ports, as seen from the LAN. The value cannot be changed.
- **IP Address** - Enter the IP address of your Device in dotted-decimal notation (factory default - 192.168.0.1).
- **Subnet Mask** - An address code that determines the size of the network. Usually it is 255.255.255.0.

Note:
1. If you change the IP address, you must use the new IP address to login to the Device.
2. If the new LAN IP address you set is not in the same subnet with the previous one, the IP Address pool in the DHCP server will be configured automatically, but the Virtual Server and DMZ Host will not take effect until they are re-configured.

Click the **Save** button to save your settings.

Actuellement nous avons accès à internet mais également au serveur de l'entreprise

Création d'une cible : plage d'adresse du réseau local

TP-Link Wireless N Router WR841N
Model No. TL-WR841N

Add or Edit A Target Entry

Mode: IP Address
Description:
IP Address: 192.168.0.1 - 192.168.0.253
Port:

Save Back

Add an Access Target Entry Help
You can create an entry for the target list on this page.

- **Mode** - Here are three options, IP Address, MAC Address, URL Address. You can choose one of them from the drop-down list.
- **Description** - In this field, create a description for the target. Note that this description should be unique.

If the **IP Address** is selected, you will see the following items:

- **IP Address** - Enter the IP address (or address range) of the target (targets) in dotted-decimal format, for example 192.168.0.23.
- **Port** - Here lists some common service ports. Select one from the drop-down list, and the corresponding port number will be filled in the Target Port field automatically. For example, if you select "FTP", "21" will be filled in the Target Port automatically.

If the **URL Address** is selected, you will see the following items:

- **URL Address** - Here you can enter 4 URLs, either the full name or the keywords (for example google). Any URL with keywords in it (www.google.com, www.google.cn) will be blocked or allowed.

Click **Save** to complete the settings.
Click **Back** to return to the Target Settings page.

Add or Edit A Target Entry

Mode: IP Address

Description: LAN

IP Address: 192.168.0.1 - 192.168.0.253

Port:

Save

Back

Création d'une règle :on interdit la cible

Add Internet Access Control Entry

Description:

LAN

LAN Host:

Any Host

[Add LAN Host](#)

Target:

LAN

[Add Target](#)

Schedule:

Any Time

[Add Schedule](#)

Rule:

Deny

Status:

Enabled

Direction:

OUT

Protocol:

ALL

Save

Back



Access Control Rule Management

This device can restrict Internet activity for specified LAN hosts. You can set and combine access control rules to effectively manage your network.

☒ Enable Internet access control

Default Filtering Rules:

☒ **Allow** the packets not specified by any filtering rules to passthrough this device.

☐ **Deny** the packets not specified by any filtering rules to passthrough this device.

Save

<input type="checkbox"/>	Description	LAN Host	Target	Schedule	Rule	Status	Edit
<input type="checkbox"/>	LAN	Any Host	LAN	Any Time	Deny	Enabled	Edit

Add New

Enable Selected

Disable Selected

Delete Selected

Nous avons toujours accès à internet mais plus au serveur.